

# 已獲藥物監督管理局批准上市的新藥清單

## List of new drugs approved for marketing by Pharmaceutical Administration Bureau (ISAF)

| 項目 | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s)                                       | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|----|-------------------------|---|-------------------|---|--|
| 1. | Abrysvo                 | RSV subgroup A<br>PreF antigen,<br>RSV subgroup B<br>PreF antigen | 注射劑<br>Injection  | 用於妊娠 24 至 36 週的孕婦通過母體免疫以預防剛出生至 6 個月的嬰兒因呼吸道合胞病毒引起的下呼吸道疾病<br>預防 60 歲及以上人群因呼吸道合胞病毒引起的下呼吸道疾病<br>Prevention of lower respiratory tract disease caused by respiratory syncytial virus (RSV) in infants from birth through 6 months of age following maternal immunization during pregnancy between 24 and 36 weeks of gestation<br>Prevention of lower respiratory tract disease caused by respiratory syncytial virus (RSV) in individuals 60 years of age and older | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 2. | Altuviio                | efanesoctocog alfa  | 注射劑<br>Injection  | 適用於 A 型血友病作為常規預防、需求性治療及控制出血和手術全期的出血處理<br>Use in patient with hemophilia A for routine prophylaxis to reduce the frequency of bleeding episodes, on-demand treatment & control of bleeding episodes and perioperative management of bleeding   | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目 | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|----|-------------------------|-----------------------------|-------------------|--|--|
| 3. | Anzupgo                 | delgocitinib                | 乳膏<br>Cream       | 對外用類固醇無效或不能使用外用類固醇治療的中度至嚴重的慢性手部濕疹成人患者<br>To treat moderate to severe chronic hand eczema (CHE) in adults who cannot use corticosteroids applied to the skin or in whom such corticosteroids do not work well enough  | 五洲<br>Firma Wuzhou   |
| 4. | Aphexda                 | motixafortide               | 注射劑<br>Injection  | 與顆粒細胞菌落刺激因子聯合使用，將造血幹細胞動員到外周血中，用於多發性骨髓瘤患者的血液單採和隨後的自體移植<br>In combination with granulocyte colony-stimulating factor (G-CSF) to mobilize hematopoietic stem cells to the peripheral blood for collection and subsequent autologous transplantation in patients with multiple myeloma | 五洲<br>Firma Wuzhou   |
| 5. | Aquipta                 | atogepant                   | 片劑<br>Tablet      | 用於每月偏頭痛發作天數不少於 4 天的成人患者以預防偏頭痛<br>Prophylaxis of migraine in adults who have at least 4 migraine days per month   | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 6. | Arexvy                  | RSVPreF3 antigen            | 注射劑<br>Injection  | 預防 60 歲及以上人群因呼吸道合胞病毒引起的下呼吸道疾病<br>Prevention of lower respiratory tract disease caused by respiratory syncytial virus (RSV) in individuals 60 years of age and older  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目 | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products            |
|----|-------------------------|-----------------------------|-------------------|--|---|
| 7. | Augtyro                 | repotrectinib               | 膠囊<br>Capsule     | 治療患有 ROS1 陽性的局部晚期或轉移性非小細胞肺癌<br>Treatment of patients with locally advanced or metastatic ROS1-positive non-small cell lung cancer (NSCLC)  | 科達有限公司<br>Four Star Companhia Lda.  |
| 8. | Besremi                 | ropeginterferon alfa-2b     | 注射劑<br>Injection  | 治療不具症狀性脾腫大的真性紅血球增多症的成人患者<br>To treat polycythemia vera in adults who do not have symptoms of an enlarged spleen  | 全昌行有限公司<br>Firma Chun Cheong -<br>Produtos Farmacêuticos,<br>Limitada<br>五洲<br>Firma Wuzhou |
| 9. | Beyfortus               | nirsevimab                  | 注射劑<br>Injection  | 預防正值或進入第一個呼吸道合胞病毒季節時出生的新生兒及嬰兒和在第二個呼吸道合胞病毒好發季節仍易罹患嚴重呼吸道合胞病毒疾病的 24 個月或以下幼兒因感染呼吸道合胞病毒而導致的下呼吸道疾病<br>Prevention of respiratory syncytial virus (RSV) lower respiratory tract disease in neonates and infants born during or entering their first RSV season and children up to 24 months of age who remain vulnerable to severe RSV disease through their second RSV season | 科達有限公司<br>Four Star Companhia Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
| 10. | Braftovi                | encorafenib                 | 膠囊<br>Capsule     | <p>與 binimetinib 聯合使用，治療帶有 BRAF V600 突變且無法切除或轉移性的黑色素瘤</p> <p>與 cetuximab 聯合使用，治療帶有 BRAF V600E 突變且曾接受全身性療法的轉移性結直腸癌</p> <p>In combination with binimetinib for the treatment of unresectable or metastatic melanoma with a BRAF V600 mutation</p> <p>In combination with cetuximab, for the treatment of metastatic colorectal cancer with a BRAF V600E mutation, who have received prior systemic therapy</p> | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 11. | Brukinsa                | zanubrutinib                | 膠囊<br>Capsule     | <p>治療套細胞淋巴瘤、慢性淋巴細胞白血病/小淋巴細胞淋巴瘤及華氏巨球蛋白血症</p> <p>To treat mantle cell lymphoma (MCL), chronic lymphocytic leukemia (CLL)/ small lymphocytic lymphoma (SLL) and Waldenström macroglobulinemia (WM)</p>  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 12. | Camzyos                 | mavacamten                  | 膠囊<br>Capsule     | <p>治療紐約心臟協會(NYHA)II-III 級症狀性梗阻性肥厚型心肌病</p> <p>Treatment of symptomatic (New York Heart Association, NYHA, class II-III) obstructive hypertrophic cardiomyopathy (HCM)</p>   | 康寧藥業有限公司<br>The Glory Medicina Limitada  |

| 項目  | 商品名稱<br>Commercial Name   | 主成分<br>Active Ingredient(s)    | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|---|--------------------------------|-------------------|---|--|
| 13. | Cibinqo   | abrocitinib                    | 片劑<br>Tablet      | 治療成人及 12 歲以上青少年的中度至重度濕疹(異位性皮膚炎)<br>To treat adults and children 12 years of age and older with moderate-to-severe eczema (atopic dermatitis)  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 14. | Columvi   | glofitamab                     | 注射劑<br>Injection  | 用於治療復發或難治性瀰漫性大 B 細胞淋巴瘤，或經過兩次或多次全身治療後由濾泡性淋巴瘤引起的大 B 細胞淋巴瘤<br>To treat relapsed or refractory diffuse large B-cell lymphoma, or large B-cell lymphoma arising from follicular lymphoma after two or more lines of systemic therapy | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 15. | Comirnaty<br>COVID-19<br>mRNA<br>Vaccine                              | tozinameran                    | 注射劑<br>Injection  | 預防新冠病毒感染<br>Prevention of COVID-19 infection  | 科達有限公司<br>Four Star Companhia Lda.<br>醫臣藥業<br>Pharmason Medicina                 |
| 16. | Comirnaty<br>COVID-19<br>mRNA<br>Vaccine<br>(Original/Omicron BA.4-5) | tozinameran,<br>famtozinameran | 注射劑<br>Injection  | 用於 12 歲及以上人群的新冠病毒加強免疫接種<br>Booster dose for immunization to prevent COVID-19 infection in individuals 12 years of age and older   | 科達有限公司<br>Four Star Companhia Lda.<br>醫臣藥業<br>Pharmason Medicina                 |

| 項目  | 商品名稱<br>Commercial Name  | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|--|-----------------------------|-------------------|---|--|
| 17. | Comirnaty<br>COVID-19<br>mRNA<br>Vaccine<br>(Omicron<br>XBB.1.5) | raxtozinameran              | 注射劑<br>Injection  | 用於 12 歲及以上人群的預防新冠病毒感染及加強免疫接種<br>Prevention of COVID-19 infection and booster dose for immunization to prevent COVID-19 infection in individuals 12 years of age and older             | 醫臣藥業<br>Pharmason Medicina   |
| 18. | Comirnaty<br>COVID-19<br>mRNA<br>Vaccine<br>(Omicron<br>JN.1)    | bretovameran                | 注射劑<br>Injection  | 用於 12 歲及以上人群預防由新型冠狀病毒所引起的感染<br>Prevention of COVID-19 infection in individuals 12 years of age and older  | 醫臣藥業<br>Pharmason Medicina   |
| 19. | Crysvita   | burosumab                   | 注射劑<br>Injection  | 用於治療 1 歲以上兒童及成人的性聯遺傳型低磷酸鹽症<br>Treatment of X-linked Hypophosphatemia(XLH), in children and adolescents aged 1 to 17 years, and in adults  | 科達有限公司<br>Four Star Companhia Lda.<br>康寧藥業有限公司<br>The Glory Medicina Limitada    |
| 20. | Danyelza   | naxitamab                   | 注射劑<br>Injection  | 與粒細胞-巨噬細胞集落刺激因子併用於治療難治性/復發性高危神經母細胞瘤<br>Combination with granulocyte-macrophage colony-stimulating factor (GM-CSF) for the treatment of relapsed or refractory high-risk neuroblastoma | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
| 21. | Dayvigo                 | lemborexant                 | 片劑<br>Tablet      | 治療失眠<br>To treat insomnia  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 22. | Elahere                 | mirvetuximab soravtansine   | 注射劑<br>Injection  | 用於治療既往接受過 1 至 3 種全身性治療的 FR $\alpha$ 陽性、鉑類藥物耐藥的上皮性卵巢癌、輸卵管癌或原發性腹膜癌<br>Treatment of patients with FR $\alpha$ positive, platinum-resistant epithelial ovarian, fallopian tube, or primary peritoneal cancer, who have received one to three prior systemic treatment regimens | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 23. | Elunate                 | fruquintinib                | 膠囊<br>Capsule     | 治療曾接受抗血管內皮生長因子(VEGF)治療、抗表皮生長因子受體(EGFR)治療的轉移性結腸癌<br>Treatment of metastatic colorectal cancer including those who have previously received anti-VEGF therapy and/or anti-EGFR therapy   | 科達有限公司<br>Four Star Companhia Lda.   |
| 24. | Emgality                | galcanezumab                | 注射劑<br>Injection  | 用於每月偏頭痛發作天數不少於 4 天的成人患者以預防偏頭痛<br>Prophylaxis of migraine in adults who have at least 4 migraine days per month   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 25. | Enhertu                 | trastuzumab deruxtecan      | 注射劑<br>Injection  | 治療曾接受過兩種或以上抗 HER2 療程、具有無法切除或轉移性 HER2 陽性乳癌<br>Treatment of unresectable or metastatic HER2-positive breast cancer who have received two or more prior anti-HER2-based regimens  | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 26. | Enspryng                | satralizumab                | 注射劑<br>Injection  | 治療 AQP4-IgG 陽性的泛視神經脊髓炎<br>To treat neuromyelitis optica spectrum disorder (NMOSD) in adults who are aquaporin-4 (AQP4) antibody positive  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 27. | Epkinly <sup>#</sup>    | epcoritamab                 | 注射劑<br>Injection  | 治療先前曾接受至少兩線全身性治療之復發性或難治性瀰漫性大 B 細胞淋巴瘤的成人患者<br>Treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL) after two or more lines of systemic therapy  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 28. | Equfina                 | safinamide                  | 片劑<br>Tablet      | 與左旋多巴或其他藥物併用治療中至晚期的帕金森氏症<br>As adjunctive treatment to levodopa or other medicines in patients with mid- to late-stage Parkinson's disease  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 29. | Evrysdi                 | risdiplam                   | 溶液<br>Solution    | 用於 2 個月大或以上的患者，治療臨床診斷為 SMA 1 型、2 型、3 型或存有 1-4 個運動神經元存活-2 蛋白 (SMN-2) 的 5q 型脊髓性肌萎縮症<br>Treatment of 5q spinal muscular atrophy (SMA) in patients 2 months of age and older, with a clinical diagnosis of SMA Type 1, Type 2 or Type 3 or with one to four SMN2 copies | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 30. | Evusheld                | tixagevimab, cilgavimab     | 注射劑<br>Injection  | 用於成人及 12 歲或以上青少年作為新冠病毒暴露前的預防用藥；治療病情有進展至重症風險且不需輔助供氧的成人及 12 歲或以上的新冠病毒感染患者   | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
|     |                         |                             |                   | To prevent COVID-19 in adults and adolescents from 12 years of age; To treat COVID-19 infection in adults and adolescents from 12 years of age who do not require supplemental oxygen and who are at increased risk of the disease becoming severe |  |
| 31. | Fabhalta                | iptacopan                   | 膠囊<br>Capsule     | 治療陣發性夜間血紅素尿症<br>Treatment of paroxysmal nocturnal hemoglobinuria (PNH)   | 科達有限公司<br>Four Star Companhia Lda.   |
| 32. | Fetroja                 | cefiderocol                 | 注射劑<br>Injection  | 治療對藥物有敏感性且治療選擇有限的細菌感染症<br>Treatment of bacterial infections that are susceptible and have limited treatment options  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 33. | Hympavzi                | marstacimab                 | 注射劑<br>Injection  | 用於 A 型血友病或 B 型血友病的成人及 12 歲或以上青少年患者，作為常規預防以避免或減少出血事件的頻率<br>For routine prophylaxis to prevent or reduce the frequency of bleeding episodes in adult and pediatric patients 12 years of age and older with hemophilia A or hemophilia B              | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 34. | Imjudo                  | tremelimumab                | 注射劑<br>Injection  | 與 durvalumab 聯合使用，治療成人不可切除的肝細胞癌；與 durvalumab 及含鉑類化療藥聯合使用，治療不攜帶表皮生長因子受體突變或間變性淋巴瘤激酶基因異常的轉移性非小細胞肺癌<br>In combination with durvalumab, for the treatment   | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
|     |                         |                             |                   | of adult patients with unresectable hepatocellular carcinoma (uHCC); In combination with durvalumab and platinum-based chemotherapy for the treatment of metastatic non-small cell lung cancer (NSCLC) with no sensitizing epidermal growth factor receptor (EGFR) mutation or anaplastic lymphoma kinase (ALK) genomic tumor aberrations |  |
| 35. | Jemperli                | dostarlimab                 | 注射劑<br>Injection  | 治療接受含鉑類化療藥治療期間或之後產生疾病進展的錯配修復缺陷/微衛星高度不穩定性的復發性或晚期子宮內膜癌<br>Treatment of patients with mismatch repair deficient (dMMR)/microsatellite instability-high (MSI-H) recurrent or advanced endometrial cancer (EC) that has progressed on or following prior treatment with a platinum-containing regimen  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 36. | Kerendia                | finerenone                  | 片劑<br>Tablet      | 治療患有第二型糖尿病相關的伴隨有白蛋白尿的慢性腎病<br>Treatment of chronic kidney disease (with albuminuria) associated with type 2 diabetes   | 科達有限公司<br>Four Star Companhia Lda.   |
| 37. | Koselugo                | selumetinib                 | 膠囊<br>Capsule     | 治療 3 歲或以上患有第 1 型神經纖維瘤病合併有症狀且手術無法切除的叢狀神經纖維瘤<br>To treat pediatric patients 3 years of age and older  | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
|     |                         |                             |                   | who have neurofibromatosis type 1 (NF1) and symptomatic, inoperable plexiform neurofibromas (PN)   |  |
| 38. | Leqembi                 | lecanemab                   | 注射劑<br>Injection  | 治療處於輕度認知障礙或輕度痴呆階段的阿爾茨海默病<br>Treatment of Alzheimer's disease in patients with mild cognitive impairment or mild dementia stage of disease  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 39. | Leqvio                  | inclisiran                  | 注射劑<br>Injection  | 治療原發性高膽固醇血症 (包括雜合子家族性和非家族性) 及混合性血脂異常<br>Treatment of primary hypercholesterolemia (heterozygous familial and non-familial) or mixed dyslipidemia   | 科達有限公司<br>Four Star Companhia Lda.   |
| 40. | Litfulo                 | ritlecitinib                | 膠囊<br>Capsule     | 治療 12 歲以上青少年及成人的嚴重斑禿<br>Treatment of severe alopecia areata in adults and adolescents 12 years of age and older  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 41. | Lumakras                | sotorasib                   | 片劑<br>Tablet      | 治療曾接受過至少一次含鉑化療或抗 PD-1 免疫療法，且帶有 KRAS G12C 突變之局部晚期或轉移性非小細胞肺癌<br>Treatment of patients with KRAS G12C-mutated locally advanced or metastatic non-small cell lung cancer (NSCLC), who have experienced progression after prior treatment with platinum-based chemotherapy and/or anti-PD-1 immunotherapy | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 42. | Lunsumio                | mosunetuzumab               | 注射劑<br>Injection  | 治療過往已接受二線或以上全身性療法的復發型或難治型濾泡性淋巴瘤的成人患者<br>Treatment of adult patients with relapsed or refractory follicular lymphoma (FL) who have received at least two prior systemic therapies  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 43. | Mektovi                 | binimetinib                 | 片劑<br>Tablet      | 與 encorafenib 聯合使用，治療帶有 BRAF V600 突變且無法切除或轉移性的黑色素瘤<br>In combination with encorafenib is indicated for the treatment of unresectable or metastatic melanoma with a BRAF V600 mutation   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 44. | Minjuvi                 | tafasitamab                 | 注射劑<br>Injection  | 與 lenalidomide 聯合使用，治療不適合進行自體幹細胞移植的復發性或難治性瀰漫性大 B 細胞淋巴瘤的成年患者<br>In combination with lenalidomide for the treatment of adult patients with relapsed or refractory diffuse large B-cell lymphoma (DLBCL) who are not eligible for autologous stem cell transplant (ASCT) | 科達有限公司<br>Four Star Companhia Lda.   |
| 45. | Mounjaro <sup>#</sup>   | tirzepatide                 | 注射劑<br>Injection  | 作為飲食及運動療法以外的輔助治療，單藥或與其他糖尿病治療藥物聯合使用以改善第二型糖尿病成人患者的血糖控制；用於體重控制，作為低熱量飲食及增加體能活動的補充，用於成人且起始身體質量指數 $\geq 30 \text{ kg/m}^2$ (肥胖)或 $\geq 27 \text{ kg/m}^2$ 至 $< 30 \text{ kg/m}^2$ (過重)且至少患有   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
|     |                         |                             |                   | <p>一種體重相關疾病，例如高血壓、血脂異常、阻塞性睡眠呼吸中止、心血管疾病、糖尿病前期或第二型糖尿病</p> <p>As monotherapy or in addition to other diabetes medications for the treatment of adults with insufficiently controlled type 2 diabetes mellitus as an adjunct to diet and exercise. For weight management, as an adjunct to a reduced-calorie diet and increased physical activity in adults with an initial Body Mass Index (BMI) of <math>\geq 30 \text{ kg/m}^2</math> (obesity) or <math>\geq 27 \text{ kg/m}^2</math> to <math>&lt; 30 \text{ kg/m}^2</math> (overweight) in the presence of at least one weight-related comorbid condition (e.g., hypertension, dyslipidemia, obstructive sleep apnea, cardiovascular disease, prediabetes, or type 2 diabetes mellitus).</p> |  |
| 46. | Nefecon                 | budesonide                  | 膠囊<br>Capsule     | <p>用於減少患有原發性 IgA 腎病且有疾病快速進展風險的成年病人的蛋白尿</p> <p>To reduce proteinuria in adults with primary immunoglobulin A nephropathy (IgAN) who are at high risk of disease progression</p>   | 康福<br>Firma Welfare  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form                     | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|---------------------------------------|---|--|
| 47. | Nilemdo                 | bempedoic acid              | 片劑<br>Tablet                          | 配合飲食控制及最大耐受劑量的他汀類藥物，用於雜合子家族性高膽固醇血症或需要額外降低 LDL-C 的動脈粥樣硬化性心血管疾病的成人患者<br>As adjuncts to diet and maximally tolerated statin therapy for the treatment of adults with heterozygous familial hypercholesterolemia or established atherosclerotic cardiovascular disease who require additional lowering of LDL-C | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 48. | Nurtec                  | rimegepant                  | 口服崩解片<br>Orally disintegrating tablet | 治療有先兆或無先兆之急性偏頭痛的成人患者<br>Treatment of migraine with/without aura in adults<br>預防成人陣發性偏頭痛<br>Preventive treatment of episodic migraine in adults  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 49. | Nustendi                | bempedoic acid, ezetimibe   | 片劑<br>Tablet                          | 配合飲食控制及最大耐受劑量的他汀類藥物，用於雜合子家族性高膽固醇血症或需要額外降低 LDL-C 的動脈粥樣硬化性心血管疾病的成人患者<br>As adjuncts to diet and maximally tolerated statin therapy for the treatment of adults with heterozygous familial hypercholesterolemia or established atherosclerotic cardiovascular disease who require additional lowering of LDL-C | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form              | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|--------------------------------|---|--|
| 50. | Ocrevus                 | ocrelizumab                 | 注射劑<br>Injection               | 治療患有復發型或早期原發進展型多發性硬化症<br>To treat relapsing or early primary progressive multiple sclerosis   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 51. | Ohtuvayre               | ensifentrine                | 吸入懸浮液<br>Inhalation suspension | 用於成人慢性阻塞性肺病的維持治療<br>For the maintenance treatment of chronic obstructive pulmonary disease (COPD) in adult patients   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 52. | Orpathys                | savolitinib                 | 片劑<br>Tablet                   | 治療已接受或不能耐受含鉑化療、具有間質-上皮轉化因子(MET)外顯子 14 跳變的轉移性非小細胞肺癌<br>Treatment of metastatic NSCLC with MET exon 14-skipping alterations in patients who have progressed after or who are unable to tolerate platinum-based chemotherapy | 科達有限公司<br>Four Star Companhia Lda.   |
| 53. | Orserdu                 | elacestrant                 | 片劑<br>Tablet                   | 治療雌激素受體陽性、人表皮生長因子受體 2 陰性、ESR1 突變的晚期或轉移性乳腺癌<br>To treat estrogen receptor-positive, human epidermal growth factor receptor 2-negative, ESR1-mutated, advanced or metastatic breast cancer                                  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
| 54. | Padcev                  | enfortumab vedotin          | 注射劑<br>Injection  | 治療先前已接受含鉑類化學療法和 PD-1(或 PD-L1)抑制劑的局部晚期或轉移性泌尿上皮癌<br>Treatment of locally advanced or metastatic urothelial cancer who have previously received a platinum-containing chemotherapy and a programmed death receptor 1 or programmed death ligand 1 inhibitor | 全昌行有限公司<br>Firma Chun Cheong -<br>Produtos Farmacêuticos,<br>Limitada            |
| 55. | Paxlovid                | nirmatrelvir,<br>ritonavir  | 片劑<br>Tablet      | 治療輕度至中度及高機會伴有發展成嚴重新冠病毒感染風險的 12 歲(≥40kg)或以上的患者<br>Treatment of mild-to-moderate COVID-19 in adults and pediatric patients (12 years of age and older weighing at least 40 kg) who are at high risk for progression to severe COVID-19                     | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 56. | Pemazyre                | pemigatinib                 | 片劑<br>Tablet      | 用於曾接受過全身性治療後疾病惡化、腫瘤具有 FGFR2 融合或重排的局部晚期或轉移性膽管癌的成人患者<br>Treatment of adults with previously treated, unresectable locally advanced or metastatic cholangiocarcinoma with a fibroblast growth factor receptor 2 (FGFR2) fusion or other rearrangement       | 永康有限公司<br>Companhia de Great Life<br>Limitada                                    |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s)                         | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|---|-------------------|--|--|
| 57. | Pluvicto                | lutetium ( <sup>177</sup> Lu) vipivotide tetraxetan | 注射劑<br>Injection  | <p>與雄激素剝奪療法聯合使用，用於治療既往接受雄激素受體通路抑制及紫杉烷類化療的前列腺特異性膜抗原陽性轉移性去勢抵抗性前列腺癌的成人患者</p> <p>In combination with androgen deprivation therapy (ADT) with or without androgen receptor (AR) pathway inhibition for the treatment of adult patients with progressive prostate-specific membrane antigen (PSMA)-positive metastatic castration-resistant prostate cancer (mCRPC) who have been treated with AR pathway inhibition and taxane-based chemotherapy</p> | <p>科達有限公司<br/>Four Star Companhia Lda.</p>                                       |
| 58. | Qinlock                 | ripretinib  | 片劑<br>Tablet      | <p>治療已接受包括 imatinib, sunitinib 和 regorafenib 等 3 種或以上激酶抑制劑治療的晚期胃腸道間質瘤</p> <p>Treatment of patients with advanced gastrointestinal stromal tumors (GIST) who have received prior treatment with 3 or more kinase inhibitors, including imatinib, sunitinib and regorafenib</p>  | <p>科達有限公司<br/>Four Star Companhia Lda.</p>                                       |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
| 59. | Reblozyl                | luspatercept                | 注射劑<br>Injection  | <p>治療具有環狀鐵粒幼細胞的骨髓增生異常綜合症，且不適合使用或對促紅細胞生成素治療反應不佳的輸血依賴性貧血患者；治療患有β-地中海貧血症的輸血依賴性貧血患者</p> <p>To treat myelodysplastic syndromes with ring sideroblasts (MDS-RS) who need regular red blood cell (RBC) transfusions and have not responded well to or cannot receive erythropoiesis stimulating agent (ESA); To treat β-thalassemia who need regular RBC transfusions</p>   | <p>康寧藥業有限公司<br/>The Glory Medicina Limitada</p>                                  |
| 60. | Retsevmo                | selpercatinib               | 膠囊<br>Capsule     | <p>治療既往未曾接受 RET 抑制劑的 RET 融合陽性的晚期非小細胞肺癌</p> <p>治療既往曾接受 sorafenib 及(或)lenvatinib 的 RET 融合陽性的晚期甲狀腺癌</p> <p>治療 RET 突變型的晚期甲狀腺髓質癌</p> <p>Treatment of advanced RET fusion-positive non-small cell lung cancer (NSCLC) not previously treated with a RET inhibitor</p> <p>Treatment of advanced RET fusion-positive thyroid cancer who are radioactive iodine-refractory</p> <p>Treatment of advanced RET-mutant medullary thyroid cancer (MTC)</p> | <p>利華行有限公司<br/>Agência Lei Va Hong Lda.</p>                                      |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 61. | Rezurock                | belumosudil                 | 片劑<br>Tablet      | 用於 12 歲或以上，曾接受至少兩線全身性治療且失敗的慢性移植抗宿主病患者<br>Treatment of adult and pediatric patients 12 years and older with chronic graft-versus-host disease (chronic GVHD) after failure of at least two prior lines of systemic therapy   | 科達有限公司<br>Four Star Companhia Lda.   |
| 62. | Ruxolitinib             | Ruxolitinib                 | 乳膏<br>Cream       | 用於治療 12 歲及以上青少年及成人的臉部白癜風<br>To treat vitiligo with facial involvement in adults and adolescents from 12 years   | 五洲<br>Firma Wuzhou   |
| 63. | Rybrevant               | amivantamab                 | 注射劑<br>Injection  | 治療帶有表皮生長因子受體外顯子 20 插入突變型的晚期非小細胞肺癌成人患者，作為含鉑類化學療法治療失敗後之治療<br>Treatment of adult patients with advanced non-small cell lung cancer (NSCLC) with epidermal growth factor receptor (EGFR) exon 20 insertion mutations whose disease has progressed on or after platinum-based chemotherapy | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 64. | Saphnelo                | anifrolumab                 | 注射劑<br>Injection  | 治療已接受標準療法的中、重度全身性紅斑狼瘡的成人患者<br>Treatment of adult patients with moderate to severe systemic lupus erythematosus (SLE), who are receiving standard therapy  | 科達有限公司<br>Four Star Companhia Lda.   |
| 65. | Sarclisa                | isatuximab                  | 注射劑<br>Injection  | 治療復發性或難治性多發性骨髓瘤<br>To treat relapsed/refractory multiple myeloma  | 科達有限公司<br>Four Star Companhia Lda.   |
| 66. | Scemblix                | asciminib                   | 片劑<br>Tablet      | 治療先前已接受過至少 2 種酪氨酸激酶抑制劑治療且處於慢性期的費城染色體陽性慢性髓性白血病(Ph+CML-CP)的成年患者；治療攜帶 T315I 突變的 Ph+CML-CP 的成年患者<br>To treat adults patients with Philadelphia chromosome–positive chronic myeloid leukemia (Ph+ CML) in chronic phase (CP), previously treated with 2 or more tyrosine kinase inhibitors (TKIs); To treat adults patients with Ph+ CML in CP with the T315I mutation | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name               | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|---------------------------------------|-----------------------------|-------------------|---|--|
| 67. | Spevigo                               | spesolimab                  | 注射劑<br>Injection  | 治療全身型膿疱性乾癬<br>Treatment of generalized pustular psoriasis (GPP)   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 68. | Sotyktu                               | deucravacitinib             | 片劑<br>Tablet      | 治療中度至重度斑塊狀銀屑病<br>To treat moderate-to-severe plaque psoriasis   | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 69. | Spikevax<br>(Original/Omicron BA.4-5) | elasomeran,<br>davesomeran  | 注射劑<br>Injection  | 用於 12 歲及以上人群的新冠病毒加強免疫接種<br>Booster dose for immunization to prevent COVID-19 infection in individuals 12 years of age and older   | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 70. | Staquis                               | crisaborole                 | 軟膏<br>Ointment    | 治療異位性皮膚炎<br>Treatment of atopic dermatitis  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 71. | Sulanda                               | surufatinib                 | 膠囊<br>Capsule     | 用於無法手術切除的局部晚期或轉移性、進展期非功能性、分化良好(G1、G2)的胰腺和非胰腺來源的神經內分泌瘤<br>Treatment of unresectable locally advanced or metastatic, progressive non-functioning, well-differentiated (G1 or G2) pancreatic or extra-pancreatic neuroendocrine tumors | 科達有限公司<br>Four Star Companhia Lda.   |
| 72. | Symproic                              | naldemedine<br>tosylate     | 片劑<br>Tablet      | 治療成人因鴉片類藥物引起之便秘<br>To treat constipation caused by opioid medication  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 73. | Tabrecta                | capmatinib                  | 片劑<br>Tablet      | 治療帶有 MET 外顯子 14 跳讀式突變的轉移性非小細胞肺癌成人患者<br>Treatment of adult patients with metastatic non-small cell lung cancer (NSCLC) whose tumors have a mutation that leads to MET exon 14-skipping   | 科達有限公司<br>Four Star Companhia Lda.   |
| 74. | Takhzyro                | lanadelumab                 | 注射劑<br>Injection  | 預防 12 歲或以上遺傳性血管性水腫患者的反覆發作<br>Prevention of recurrent attacks of hereditary angioedema in patients aged 12 years and older   | 全昌行有限公司<br>Firma Chun Cheong -<br>Produtos Farmacêuticos,<br>Limitada            |
| 75. | Tazverik                | tazemetostat                | 片劑<br>Tablet      | 治療不符合完全切除條件的成人及 16 歲以上患者的轉移性或局部晚期上皮樣肉瘤；曾接受過至少兩種全身性治療且其腫瘤經檢測為 EZH2 突變陽性的復發或難治性濾泡性淋巴瘤患者；治療沒有合適替代治療的復發性或難治性濾泡性淋巴瘤患者<br>Treatment of adults and patients aged 16 years and older with metastatic or locally advanced epithelioid sarcoma not eligible for complete resection; Treatment of adult patients with relapsed or refractory (R/R) follicular lymphoma (FL) whose tumors are positive for an EZH2 mutation and who have received at least 2 prior systemic therapies; Treatment of adult patients with R/R FL who have no satisfactory alternative treatment options | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
| 76. | Tecvayli                | teclistamab                 | 注射劑<br>Injection  | 治療既往接受過至少三種治療(包括一種免疫調節劑、一種蛋白酶體抑制劑及一種抗 CD38 單株抗體)後出現疾病惡化的復發性或難治性多發性骨髓瘤<br>Treatment of patients with relapsed and refractory multiple myeloma, who have received at least three prior therapies, including an immunomodulatory agent, a proteasome inhibitor, and an anti-CD38 antibody and have demonstrated disease progression on the last therapy | 科達有限公司<br>Four Star Companhia Lda.   |
| 77. | Tepmetko                | tepotinib                   | 片劑<br>Tablet      | 治療帶有間質上皮轉化因子外顯子-14 跳讀式突變的晚期或轉移性之非小細胞肺癌<br>Treatment of patients with locally advanced or metastatic non-small cell lung cancer (NSCLC) harboring mesenchymal-epithelial transition (MET) exon 14 skipping alterations  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 78. | Tezspire                | tezepelumab                 | 注射劑<br>Injection  | 常規維持治療(如高劑量吸入性皮質類固醇及其他哮喘藥物)仍無法充分控制病情的嚴重哮喘患者<br>Maintenance treatment of patients with severe asthma who are inadequately controlled despite high dose inhaled corticosteroids plus another medicinal product   | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 79. | Tivdak                  | tisotumab vedotin           | 注射劑<br>Injection  | 治療在化療期間或化療後出現疾病惡化的復發性或轉移性宮頸癌<br>Treatment of patients with recurrent or metastatic cervical cancer with disease progression on or after chemotherapy  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 80. | Trodelvy                | sacituzumab govitecan       | 注射劑<br>Injection  | 治療先前已接受兩種或以上全身性治療無效(其中至少一種用於治療轉移性疾病)之無法切除的局部晚期或轉移性三陰性乳癌<br>Treatment of patients with unresectable locally advanced or metastatic triple-negative breast cancer (mTNBC) who have received at least two prior systemic therapies, including at least one prior therapy for locally advanced or metastatic disease                                  | 科達有限公司<br>Four Star Companhia Lda.   |
| 81. | Truqap                  | capivasertib                | 片劑<br>Tablet      | 與 fulvestrant 聯合使用，治療激素受體陽性、人表皮生長因子受體陰性且至少帶有一種 PIK3CA、AKT1 或 PTEN 基因變異的晚期或轉移性乳腺癌<br>In combination with fulvestrant for the treatment of adult patients with hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative, locally advanced or metastatic breast cancer with one or more PIK3CA/AKT1/PTEN-alterations | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form    | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|----------------------|---|--|
| 82. | Tukysa                  | tucatinib                   | 片劑<br>Tablet         | 與 trastuzumab 及 capecitabine 併用於曾接受至少兩次針對 HER2 靶點的療法的無法切除晚期或轉移性 HER2 陽性乳癌<br>In combination with trastuzumab and capecitabine for the treatment of patients with HER2-positive locally advanced or metastatic breast cancer who have received at least 2 prior anti-HER2 treatment regimens | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 83. | Tyrvaya                 | varenicline                 | 鼻用噴霧劑<br>Nasal Spray | 治療乾眼症的病徵與症狀<br>Treatment of the signs and symptoms of dry eye disease   | 五洲<br>Firma Wuzhou   |
| 84. | Ultomiris               | ravulizumab                 | 注射劑<br>Injection     | 治療陣發性夜間血紅素尿症、非典型溶血性尿毒症候群、全身型重症肌無力及視神經脊髓炎<br>Treatment of paroxysmal nocturnal hemoglobinuria (PNH), atypical hemolytic uremic syndrome (aHUS), generalized myasthenia gravis (gMG) and neuromyelitis optica spectrum disorder (NMOSD)   | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 85. | Vaborem                 | meropenem, vaborbactam      | 注射劑<br>Injection     | 治療複雜性尿路感染，包括腎盂腎炎<br>治療複雜性腹腔內感染<br>治療院內型肺炎，包括呼吸器相關肺炎<br>治療與上述任何感染相關或疑似與上述任何感染相關的菌血症  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|--|--|
|     |                         |                             |                   | 治療對藥物有敏感性且治療選擇有限的細菌感染症<br>Treatment of complicated urinary tract infection (cUTI), including pyelonephritis.<br>Treatment of complicated intra-abdominal infections (cIAI)<br>Treatment of hospital-acquired pneumonia (HAP), including ventilator associated pneumonia (VAP).<br>Treatment of patients with bacteremia that occurs in association with, or is suspected to be associated with, any of the infections listed above.<br>Treatment of bacterial infections that are susceptible and have limited treatment options |  |
| 86. | Vabysmo                 | faricimab                   | 注射劑<br>Injection  | 適用於治療血管新生型(濕性)年齡相關性黃斑部退化病變的成年患者；適用於成人因糖尿病黃斑部水腫所引致的視覺障礙<br>To treat adults with neovascular (wet) age-related macular degeneration (AMD) and diabetic macular edema (DME)   | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 87. | Veklury                 | remdesivir                  | 注射劑<br>Injection  | 治療成人及 12 歲或以上(體重≥40kg)的新冠病毒感染<br>To treat adults and children 12 years of age and older and weighing at least 40 kg with COVID-19 infection  | 科達有限公司<br>Four Star Companhia Lda.   |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 88. | Velsipity               | etrasimod                   | 片劑<br>Tablet      | 治療中度至嚴重活動性潰瘍性結腸炎<br>To treat moderately-to-severely active ulcerative colitis   | 壹康<br>Uma-Saúde  |
| 89. | Verquvo                 | vericiguat                  | 片劑<br>Tablet      | 治療心臟射出分率下降且曾因為病情惡化而需接受靜脈注射治療的症狀性心臟衰竭成人患者<br>Treatment of symptomatic chronic heart failure in adult patients with reduced ejection fraction who are stabilized after a recent decompensation event requiring IV therapy                                     | 科達有限公司<br>Four Star Companhia Lda.   |
| 90. | Vyepti                  | eptinezumab                 | 注射劑<br>Injection  | 用於成人預防偏頭痛<br>For preventive treatment of migraine in adults   | 科達有限公司<br>Four Star Companhia Lda.   |
| 91. | Wakix                   | pitolisant                  | 片劑<br>Tablet      | 治療猝睡症所導致的白天嗜睡或猝倒<br>To treat excessive daytime sleepiness (EDS) or sudden onset of weak or paralyzed muscles (cataplexy) due to narcolepsy  | 利華行有限公司<br>Agência Lei Va Hong Lda.  |
| 92. | Winrevair               | sotatercept                 | 注射劑<br>Injection  | 與其他肺動脈高壓治療方案聯合使用，用於世界衛生組織功能程度分級第 II-III 級肺動脈高壓的成人患者，以提高運動能力<br>In combination with other pulmonary arterial hypertension (PAH) therapies, for the treatment of PAH in adult patients with WHO Functional Class (FC) II to III, to improve exercise capacity | 利華行有限公司<br>Agência Lei Va Hong Lda.  |

| 項目  | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|-----|-------------------------|-----------------------------|-------------------|---|--|
| 93. | Xospata                 | gilteritinib                | 片劑<br>Tablet      | 治療具有 FLT3 突變的復發性或難治性急性骨髓性白血病的成人患者<br>Treatment of adult patients who have relapsed or refractory acute myeloid leukemia (AML) with a FLT3 mutation  | 全昌行有限公司<br>Firma Chun Cheong -<br>Produtos Farmacêuticos,<br>Limitada            |
| 94. | Xpovio                  | selinexor                   | 片劑<br>Tablet      | 治療復發或難治性多發性骨髓瘤<br>To treat relapsed refractory multiple myeloma (RRMM)  | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 95. | Zepzelca                | lurbinectedin               | 注射劑<br>Injection  | 治療曾接受含鉑化療仍疾病惡化的轉移性小細胞肺癌<br>Treatment of metastatic small cell lung cancer (SCLC) that has progressed on or after prior platinum-containing therapy  | 科達有限公司<br>Four Star Companhia Lda.   |
| 96. | 艾弗沙；甲磺酸伏美替尼片            | furmonertinib mesilate      | 片劑<br>Tablet      | 治療具有抗表皮生長因子受體(EGFR)外顯子 19 缺失 (Ex19del)或外顯子 21 (L858R)置換突變的局部晚期或轉移性非小細胞肺癌成人患者<br>治療既往經 EGFR 酪氨酸激酶抑制劑治療時或治療後出現疾病進展，並且經檢測確認存在 EGFR T790M 突變陽性的局部晚期或轉移性非小細胞肺癌成人患者<br>Treatment of adult patients with locally advanced or metastatic non-small cell lung cancer (NSCLC) with epidermal growth factor receptor (EGFR) exon 19 deletion (Ex19del) or exon 21 (L858R) substitution mutations | 醫諾<br>Firma Promise  |

| 項目   | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|------|-------------------------|-----------------------------|-------------------|--|--|
|      |                         |                             |                   | Treatment of adult patients with locally advanced or metastatic NSCLC who experienced disease progression during or after prior treatment with EGFR tyrosine kinase inhibitors and who were tested positive for the EGFR T790M mutation  |  |
| 97.  | 安瑞昔；澤貝妥單抗注射液            | zuberitamab                 | 注射劑<br>Injection  | 與標準 CHOP 化療聯合治療 CD 20 陽性的非特指性瀰漫大 B 細胞淋巴瘤<br>In combination with standard CHOP chemotherapy for the treatment of CD20-positive diffuse large B-cell lymphoma , not otherwise specified (DLBCL, NOS)   | 五洲<br>Firma Wuzhou   |
| 98.  | 百澤安；替雷利珠單抗注射液           | tislelizumab                | 注射劑<br>Injection  | 治療經典型霍奇金淋巴瘤、非小細胞肺癌、肝細胞癌、高度微衛星不穩定型實體瘤、食管鱗狀細胞癌及鼻咽癌<br>To treat classical Hodgkin lymphoma (cHL), non-small cell lung cancer, hepatocellular carcinoma (HCC), microsatellite instability-high solid cancer (MSI-H), esophageal squamous cell carcinoma (ESCC) and nasopharyngeal cancer (NPC) | 康寧藥業有限公司<br>The Glory Medicina Limitada  |
| 99.  | 奕凱達；阿基侖賽注射液             | axicabtagene ciloleucel     | 注射劑<br>Injection  | 治療 B 細胞淋巴瘤<br>To treat B-cell Lymphoma   | 醫臣藥業<br>Pharmason Medicina   |
| 100. | 耐立克；雷巴替尼片               | olverembatinib              | 片劑<br>Tablet      | 治療對第一代及第二代酪氨酸激酶抑制劑耐藥及/或不耐受的慢性髓細胞白血病慢性期<br>用於任何酪氨酸激酶抑制劑耐藥，經診斷為伴有 T315I  | 邁極康<br>Saude Magicure  |

| 項目   | 商品名稱<br>Commercial Name       | 主成分<br>Active Ingredient(s)      | 劑型<br>Dosage Form | 適應症<br>Indication(s)  | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|------|-------------------------------|----------------------------------|-------------------|---|--|
|      |                               |                                  |                   | 突變的慢性髓細胞白血病慢性期或加速期 Treatment of patients with chronic myeloid leukemia resistant to and/or intolerant of first- and second-generation tyrosine kinase inhibitors (TKI)<br>Treatment of patients with TKI-resistant chronic-phase chronic myeloid leukemia (CP-CML) or accelerated-phase CML (AP-CML) harboring the T315I mutation |  |
| 101. | 若欣林；鹽酸托魯地文拉法辛緩釋片 <sup>#</sup> | toludesvenlafaxine hydrochloride | 片劑<br>Tablet      | 治療抑鬱症<br>Treatment of depression  | 邁極康<br>Saude Magicure  |
| 102. | 泰中定；阿泰特韋片/利托那韋片               | atilotrelvir, ritonavir          | 片劑<br>Tablet      | 治療輕、中度新型冠狀病毒感染的成人患者<br>Treatment of adult patients with mild and moderate COVID-19 infection  | 清新有限公司<br>Cheng San Limitada   |
| 103. | 恩維達；恩沃利單抗注射液                  | envafolimab                      | 注射劑<br>Injection  | 用於不可切除或轉移性微衛星高度不穩定或錯配修復基因缺陷型的晚期實體瘤<br>Treatment of patients with unresectable or metastatic microsatellite instability-high/ mismatch repair deficient (MSI-H/dMMR) advanced solid tumors   | 五洲<br>Firma Wuzhou   |

| 項目   | 商品名稱<br>Commercial Name                   | 主成分<br>Active Ingredient(s)  | 劑型<br>Dosage Form                | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|------|---|------------------------------|----------------------------------|--|--|
| 104. | 紐再樂；<br>注射用甲苯磺<br>酸奧馬環素/甲<br>苯磺酸奧馬環<br>素片 | omadacycline                 | 注射劑<br>Injection<br>片劑<br>Tablet | 治療社區獲得性細菌性肺炎及急性細菌性皮膚和皮膚結構感染<br>To treat community-acquired bacterial pneumonia (CABP) and acute bacterial skin and skin structure infection (ABSSSI)   | 科達有限公司<br>Four Star Companhia Lda.   |
| 105. | 源瑞達；納基<br>奧侖賽注射液                          | inaticabtagene<br>autoleucel | 注射劑<br>Injection                 | 治療成人復發或難治性 B 細胞急性淋巴細胞白血病<br>Treatment in adult patients with relapsed/refractory B-cell acute lymphoblastic leukemia (r/r B-cell ALL)  | 五洲<br>Firma Wuzhou   |
| 106. | 愛瑞卓；羅沙<br>司他膠囊                            | roxadustat                   | 膠囊<br>Capsule                    | 用於慢性腎臟病引起的貧血，包括透析及非透析患者<br>Treatment of anemia of chronic kidney disease in both non-dialysis-dependent and dialysis-dependent patients  | 科達有限公司<br>Four Star Companhia Lda.   |
| 107. | 達伯舒；信迪<br>利單抗注射液                          | sintilimab                   | 注射劑<br>Injection                 | 治療經典型霍奇金淋巴瘤、非小細胞肺癌、肝細胞癌、食管鱗癌及胃及胃食管交界處腺癌<br>To treat classical Hodgkin lymphoma (cHL), non-small cell lung cancer, hepatocellular carcinoma (HCC), esophageal cancer (EC) and adenocarcinoma of esophagogastric junction (EGJA) | 永康有限公司<br>Companhia de Great Life Limitada                                       |
| 108. | 福可蘇；伊基<br>奧侖賽注射液#                         | equecabtagene<br>autoleucel  | 注射劑<br>Injection                 | 治療既往經過至少三綫治療後出現疾病惡化(至少使用過一種蛋白酶體抑制劑及免疫調節劑)的復發或難治性多發性骨髓瘤成人患者   | 南光<br>Firma Nam Kwong  |

| 項目   | 商品名稱<br>Commercial Name | 主成分<br>Active Ingredient(s) | 劑型<br>Dosage Form | 適應症<br>Indication(s)   | 藥物產品出入口及批發商號<br>Firm for Import, Export and Wholesale of Pharmaceutical Products |
|------|-------------------------|-----------------------------|-------------------|--|--|
|      |                         |                             |                   | Treatment of adult patients with relapsed or refractory multiple myeloma who have progressed after at least three lines of prior therapies containing at least one proteasome inhibitor and immunomodulatory agent |  |
| 109. | 樂睿靈；來瑞特<br>韋片           | leritrelvir                 | 片劑<br>Tablet      | 治療輕中度新型冠狀病毒感染<br>Treatment of mild-to-moderate COVID-19 infection  | 美康行<br>Agência Mei Hong  |

\*按商品名稱的字母/筆劃排序

Commercial names are listed in alphabetical/strokes order

資料截至：3/2025

#最新獲藥物監督管理局批准上市的新藥

Latest new drug approved for marketing by ISAF